

LAYOUT PLAN

SCALE 1:500 (0 5 10 20)

LEGEND

- S — EX. SEWER MAIN
- NEW SEWER MAIN 225mm DIA. & UNDER
- NEW SEWER MAIN >225mm DIA.
- X — DECOMMISSIONED MAIN
- S — FUTURE SEWER MAIN
- MAINTENANCE HOLE (MH)
- MAINTENANCE CHAMBER (MC)
- MAINTENANCE SHAFT (MS)
- INSPECTION SHAFT (IS)
- Ob OBLIQUE JUNCTION
- PIPE STUB
- RETAINING WALL
- O/H E — O/HEAD POWER
- E — U/GROUND POWER
- W — WATER MAIN
- G — GAS MAIN
- FOC — FIBRE OPTICS
- T — TELCO CABLE
- D — STORMWATER DRAIN

NOTE:
ORIENTATION, SUPPLY LINES, CONTOURS, OUTLETS & GENERAL INFORMATION ARE ALL EXAMPLES ONLY. CONTRACTOR TO PROVIDE SITE SPECIFIC DETAILS PRIOR TO FINAL DESIGN

IMPORTANT

THE FOLLOWING CONSTRUCTION TOLERANCES SHALL BE OBSERVED:

SEWER LINE	+/- 100mm FROM SPECIFIED LOCATION
SEWER LEVEL	+10mm/-50mm FROM SPECIFIED LEVELS
MAINTENANCE STRUCTURE LOCATION	+/- 500mm FROM SPECIFIED LOCATION
PROPERTY CONNECTION LOCATION	+/- 500mm FROM SPECIFIED LOCATION
PROPERTY CONNECTION LEVEL	+10mm/-150mm FROM SPECIFIED LEVELS

ANY CHANGES THAT FALL OUTSIDE THE ABOVE TOLERANCES SHALL BE REFERRED TO THE SUPERVISING ENGINEER FOR APPROVAL

WARNING

BEWARE OF UNDERGROUND SERVICES

The locations of underground services are approximate only and their exact position should be proven on site.
No guarantee is given that all existing services are shown.
Locate all underground services before commencement of works

DIAL 1100 BEFORE YOU DIG

www.1100.com.au

STANDARD NOTES

1. THIS PLAN SHALL BE READ IN CONJUNCTION WITH DETAIL PLANS REGARDING ACCURACY OF POSITIONS OF UNDERGROUND AND OVERHEAD STRUCTURES AND SERVICES.

LEGEND

- EXISTING SURFACE
- FUTURE DESIGN SURFACE
- FUTURE CUT & FILL
- TYPE A BACKFILL



| | | |